

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Harry R. Davis *et al*

Serial No.: **10/057,629**

Filed: **01/25/2002**

Patent No.: 7,417,039 B2

For: **"Use of Substituted Azetidinone
Compounds for the Treatment of
Sitosterolemia"**

Examiner: **Hui, San Ming R.**

Group Art Unit: **1617**

Confirmation No. **2175**

Issue date: August 26, 2008

-----X
Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 35 USC 254

Pursuant to 35 USC 254 and 37 CFR 1.322 Patentees request to correct a mistake that was made while printing the above-identified patent. The mistake is noted on Form PTO/SB/44 enclosed herewith.

Patentees respectfully submit that the above-noted errors are the fault of the Office. Accordingly, no fee is believed to be due with this request. If any fees are determined to be due by this paper, the Commissioner is hereby authorized to deduct such fees from Deposit Account No. 19-0365. Issuance of a Certificate of Correction is respectfully requested. If there are questions, the undersigned Attorney-of-Record can be contacted.

November 25, 2008
SCHERING-PLOUGH CORPORATION
Patent Department, K-6-1, 1990
2000 Galloping Hill Road
Kenilworth, New Jersey 07033-0530
Telephone: (908) 298-**5024**
Facsimile: (908) 298-5388

Respectfully submitted,


Mark W. Russell
Director- Patents
Reg. No. **37,514**
ATTORNEY OF RECORD

VIA EFS

ATTORNEY DOCKET NO. CV01382K US

PTO/SB/44 (09-07)

Approved for use through 08/31/2010 OMB 0651-0033

U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995 no persons are required to respond to a collection of information unless it displays a valid OMB control number (Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,417,039

APPLICATION NO. : 10/057,629

ISSUE DATE : 08/26/2008

INVENTOR(S) : Harry R. Davis

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Claims:

Claim 5, col. 58, line 65	Please correct "nyla koxy" to -- nylalkoxy --
Claim 5, col. 58, line 66	Please correct "alkanedlor" to -- alkanedioyl --
Claim 5, col. 59, line 3	Please correct "-ON,-" to -- CN, --
Claim 5, col. 59, line 64	Please correct "benzod ioxolyf" to -- benzodioxolyf --
Claim 7, col. 62, line 8	Please correct "losthiazolyf" to -- losthiazolyf --
Claim 7, col. 62, line 44	Please correct "off" to -- of f --
Claim 8, col. 64, line 33	Please correct "-OH ₂ -" to -- -CH ₂ - --
Claim 9, col. 66, line 45	Please correct "-O(O)-" to -- -C(O)- --
Claim 33, col., 71, line 2	Please correct "prod rug" to -- prodrug --
Claim 39, col. 71, line 40	Please correct "the least" to -- the at least --

MAILING ADDRESS OF SENDER (Please do not use customer number below):

MARK W. RUSSELL, Director - Patents

Schering-Plough Corporation, 2000 Galloping Hills Road, K-6-1, 1990, Kenilworth, New Jersey 07033

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.